



- NOTES:**
1. REFER TO DRAWING 60280245-SHT-20-0000-0002 FOR GENERAL NOTES.
 2. LIFT DIMENSIONS BASED ON BS EN 81-762:2003. TYPE 2 LIFT AND ARE TO BE CONFIRMED AT DETAILED DESIGN STAGE.
 3. ALL STEPS ARE TO RECEIVE ANTI-SLIP SURFACING AND NOSINGS OF A CONTRASTING COLOUR TO THE STEP.
 4. STARWAY HANDRAILS SHALL BE PAINTED. MATT FINISH. COLOUR TO CONTRAST WITH THEIR BACKGROUND TO INCREASE VISIBILITY.
 5. LASON REQUIRED WITH LIFT MANUFACTURER REGARDING REQUIREMENTS FOR LIFT ENTRANCES, GUIDE AND RAIL FINISHES WITHOUT COMPROMISING STRUCTURAL FINISHES.
 6. JOINTS BETWEEN BRIDGE AND LIFT TO BE CONFIRMED AT DETAILED DESIGN STAGE.

DIMENSIONS MARKED THIS WAY ARE NOMINAL AND TO BE CONFIRMED AT DETAILED DESIGN STAGE

NOTE: WALLS AND ROOF TO PROVIDE 1 HOUR FIRE RESISTANCE

PROJECT
THEALE RAILWAY STATION
ACCESS FOR ALL FOOTBRIDGE OUTLINE DESIGN
ELR BHL, 41 miles
406 yards

CLIENT
First Great Western

CONSULTANT
AECOM
Colmore Plaza
Colmore Circus Queensway
Birmingham B4 6AT
0121 282 1900 tel 0121 282 1999 fax
www.aecom.com

ISSUE/REVISION

NO	DATE	DESCRIPTION
1	2013-02-15	FOR FORM 1 APPROVAL

KEY PLAN

PROJECT NUMBER
60280245

SHEET TITLE
PROPOSED GENERAL ARRANGEMENT SHEET 2 OF 4

SHEET NUMBER
60280245-SHT-20-0000-S-0003

This drawing has been prepared for the use of AECOM's client. It may not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent. Do not scale this document. All measurements must be obtained from the stated dimensions.